




Please complete all sections of prescription.

213 Hale Lane, Edgware, HA8 9QH
Mobile: 07883 078 146
Telephone: 0208 959 6477
Email: lenard@dentaldesignstudio.co.uk

LAB USE ONLY

BIN NUMBER:

ARRIVAL DATE:

POSTED DATE:

PATIENT'S NAME

SURGEON'S NAME & ADDRESS

ITEMS ENCLOSED

AGE:

M

F

DATE OF PREPARATION:

DATE REQUIRED:

(PLEASE CALL/EMAIL TO BOOK WORK IN)

Contact number:

Please send:

☐

Free Post Business Reply Labels

☐

Price List

☐

Dockets/worksheets

MODELS

☐

IMPRESSIONS

☐

ALGINATE

☐

BITE REGISTRATION

☐

PHOTOGRAPHS

☐

FACEBOW/JIG

☐

OTHER

☐

SPECIAL INSTRUCTIONS:

RESTORATION TYPE:

Crown

☐

Bridge

☐

Veneer

☐

Inlay/Onlay

☐

Maryland

☐

Implant Placed:

Screw Retained

☐

Cement Retained

☐

MATERIAL TYPE:

Pressable Ceramics

☐

Gratia

☐

Zirconia

☐

Non-precious

☐

Gold

☐

LUSTER:

High

☐

Med

☐

Low

☐

CHARACTERISATION:

Young

☐

Middle age

☐

Senior

☐

SURFACE DETAIL:

Strong

☐

Med

☐

Low

☐

POSTERIOR FISSURE STAINS:


Yes

☐

No

☐

DETAILED COLOUR CHART



Please map details and indicate which part of shade tab was used.

This is a custom-made medical device. It has been manufactured to satisfy the design characteristics and properties specified by the prescriber for this patient. This medical device is intended for exclusive use by this patient and conforms to the relevant essential requirements specified in Annex I of the Medical Devices Directive and the United Kingdom Medical Devices Regulations. Dental Design Studio Ltd is registered with the Medical Devices Agency (No. CA007024).

3shape

NobelProcera™



GDC



Health and Safety Reminder: To comply with the COSHH Regulations and BDA good practice, impressions and other appliances should be suitably decontaminated and disinfected before sending these entities to the laboratory